



Diario

Lago

January 21, 1971

No. 14

ALMARY, DANJE TA CONMEMORA 25 ANJA DI SERVICIO

Awe, Humberto Almary di Process - Utilities, y Pedro Danje di Mechanical - Metals Section, ta recorda nan di 25 aniversario di servicio cu Lago.

Masha pabien!

SUPLAMENTO CU STOOM REANUDA PA ALGUN ORA AWE NOCHI

Suplmento cu stoom di e linjnan di e planta Hidrógeno lo ser reanudá awe nochi tempran y lo continúa te 11'or di anochi. E suplmento cu stoom ta ser gestop e ora ey, pa no stroba e comunidad di San Nicolas.

BOILER NO. 4 NA POWERHOUSE NO. 2 ABAO

Boiler No. 4 na Powerhouse No. 2 lo ta abao awe pa reparacionnan menor.

WEGA DI FUTBOL HOOFDKLASSE FIHA PA AWE NOCHI

Awe nochi 8'or, Aruba Jrs. lo enfrenta San Nicolas Jrs. den un encuentro di futbol hoofdklasse na Wilhelmina Stadion.

LESA Y TENE CUIDAO

Bo ta corre haci algo y despues lesa e direccionnan y avisonan, of bo ta haci e procedimiento aki net contrario? E por ta un asunto di bida of morto. Contenedornan pa químico tin etiket riba nan no solamente pa diferencia un for di otro, si no tambe pa indica e cosnan peligroso cu por ta peliger pa bo salud of peliger di candela.

Un etiket cu ta duna number di e producto, ta duna medidanan di precaucion y instruccionnan en caso di contacto mester ta ariba tur contenedor. Lesa tur etiket!



ALMARY, DANJE COMMEMORATE 25TH SERVICE ANNIVERSARY

Today, Humberto Almary, Process - Utilities, and Pedro Danje, Mechanical - Metals Section, observe their 25th service anniversary with Lago.

Congratulations!

STEAMBLOWING RESUMED FOR A FEW HOURS TONIGHT

Steamblowing of the Hydrogen Plant's lines will be resumed this evening and will be continued until 11 p.m. The steamblowing is stopped at this time so as not to disturb the San Nicolas community.

NO. 4 BOILER AT #2 POWERHOUSE DOWN

The #4 Boiler at #2 Powerhouse will be down today for minor repairs.

TOP DIVISION FOOTBALL MATCH SCHEDULED FOR TONIGHT

At 8 o'clock tonight, Aruba Jrs. will face San Nicolas Jrs. in a top division football match at the Wilhelmina Stadium.

READ AND HEED

Do you plunge ahead and do something and then read the directions or warnings, or do you reverse the procedure?

It could be a matter of life and death. Containers for chemicals are labeled not only to tell one from another, but also to indicate dangerous properties that may be health or fire hazards.

A label that tells the name of the product, gives a signal word, states hazards, and lists precautionary measures and instructions in case of contact or exposure should be on all containers. Read all labels!

